




THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC
DW

	DIST
	

REVISIONS

P

LTR

DESCRIPTION

DATE _____



	DW
--	----

APVD


SEE SHEET 1

2129261-1; AS SHOWN

W/O CAP CONDITION



VIEW B



VIEW C

THIS DRAWING IS A CONTROLLED DOCUMENT.

	DWN
--	-----

CHK

APV

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

0.97 g

CUSTOMER DRAWING



TE Connectivity

NAME

PLUG ASSY, 0.6mm PITCH
CHAMP DOCKING CONNECTOR, 40POS

	SIZE
--	------

CAGE CODE

E	DRAWING NO
---	------------

RESTRICTED TO

A 300779 ©-2129261

SCALE 5 : 1

SHEET 2 OF 5

REV	C
-----	---

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR


DESCRIPTION

DATE


DWN

APVD


SEE SHEET 1



VIEW C



VIEW B




SECTION A - A

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±	±0.25
1 PLC	±	±0.25
2 PLC	±	±0.25
3 PLC	±	±0.25
4 PLC	±	±0.25
ANGLES	±	±

MATERIAL

FINISH

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING



TE Connectivity

NAME

PLUG ASSY, 0.6mm PITCH
CHAMP DOCKING CONNECTOR, 40POS

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO


A300779C-2129261

SCALE 5:1

SHEET 3 OF 5

REV C

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			



RECOMMENDED P.C. BOARD LAYOUT
(TOP VIEW)

△ CONNECTOR OUTLINE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN CHK APVD PRODUCT SPEC APPLICATION SPEC WEIGHT CUSTOMER DRAWING		TE TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH ±		NAME PLUG ASSY, 0.6mm PITCH CHAMP DOCKING CONNECTOR, 40POS	
MATERIAL		FINISH		SIZE A300779	
				CAGE CODE C-2129261	
				DRAWING NO 2129261	
				RESTRICTED TO	
				SCALE 8:1	
				SHEET 4 OF 5	
				REV C	

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR



DESCRIPTION

DATE

DWN


APVD

SEE SHEET 1





PE BAG

REEL

SHIPPING CARTON
(352X349X228)AROUND THE OUTER PERIPHERY IN A TURN.
WEEDING THE COVER TAPE

PEELING ANGLE: 165°~180°



6. PACKING MATERIAL:
CARRY TAPE: PS; COLOR: BLACK.
COVER TAPE: PET; COLOR: CLEAR.
PEELING STRENGTH OF COVER TAPE: 0.2N~1.2N

300	3	900
PCS/ TAPE	REELS/ CARTON	TOTAL QUANTITY

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC	±	±0.5
1 PLC	±	±3°
2 PLC	±	±3°
3 PLC	±	±3°
4 PLC	±	±3°
ANGLES	±	±
FINISH	-	-

MATERIAL

DWN	-
CHK	-
APVD	-
PRODUCT SPEC	-
APPLICATION SPEC	-
WEIGHT	-

CUSTOMER DRAWING

TE

TE Connectivity

NAME

PLUG ASSY, 0.6mm PITCH
CHAMP DOCKING CONNECTOR, 40POS

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A300779C-2129261

SCALE 8:1

SHEET 5 OF 5

REV C