





LOC	DIST	REVISIONS						
		P	LYR	DESCRIPTION	DATE	DWN	APVD	
GP	00	B		RELEASED PER ECO-10-007728	15APR2010	CJV	MRS	
		C		REVISED PER ECO-14-000886	20FEB2014	JW	SH	
		C1		REVISED PER ECO-14-010419	11JUL2014	JW	SH	
		D		REVISED PER ECO-15-013594	25SEP2015	JW	SH	



2110957-1&-2
SCALE 4:1



SECTION B-B


- 1 PADS AND VIAS CHASSIS GROUND.
- 2 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 3 LIGHT PIPE KIT WHICH IS SEPARATE FROM CAGE ASSEMBLY, KIT TO BE ATTACHED AFTER SEATING OF 1761015-1 ON PC BOARD.
- 4 LABEL ON CAGE WILL HAVE PART NUMBER 1761015-1.
5. REFERENCE STYLE 1 ON APPLICATION SPECIFICATION 114-13165 FOR ADDITIONAL INFORMATION ON CAGE ASSEMBLIES WITH LIGHT PIPES.
- 6 REFERENCE APPLICATION SPEC 114-13120, HOLE A, FOR RECOMMENDED DRILL HOLES DIAMETER AND PLATING THICKNESSES.
- 7 PATTERN REPEATS FOR EACH PORT. SPACING BETWEEN PORTS IS 14.25mm.
- 8 MINIMUM PC BOARD THICKNESS = 1.50mm.
- 9 MATERIAL: COPPER ALLOY.
- 10 TIN PLATING PER ASTM B 545, 1.25µm MINIMUM THICKNESS, ALL OVER NICKEL FLASH PER QQ-N-290. NON-PLATED EDGES ARE PERMISSIBLE.
- 11 DATE CODE AND PART NUMBER IN APPROXIMATE LOCATION SHOWN
- 12 NICKEL SILVER ALLOY(NO PLATING)

SUPERSEDED BY:
2110957-2


NO	12	2110957-2
10	9	2110957-1
FINISH	MATERIAL	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Z.M.REAM 21SEP2009	TE Connectivity	
DIMENSIONS:		CHK M.R.SCHMITT 21SEP2009		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD R.H.WERTZ 21SEP2009	NAME	
	0 PLC	±0.10	PRODUCT SPEC	
	1 PLC	±0.10	108-1950	
	2 PLC	±0.10	APPLICATION SPEC	
	3 PLC	±0.10	114-13120	
MATERIAL	4 PLC	±0.10	WEIGHT	
	ANGLES	±1°	-	
FINISH	FINISH	10	CUSTOMER DRAWING	
	FINISH	10	SCALE 5:1	
SIZE		A1	SHEET 1 OF 3	
CAGE CODE		2110957	REV D	
DRAWING NO		2110957		
RESTRICTED TO		-		


LOC		DIST		REVISIONS					
GP		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-




RECOMMENDED BEZEL CUTOUT
SCALE 4:1



SECTION A-A
RECOMMENDED BEZEL CONFIGURATION
SCALE 4:1



THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN <u>Z.M.REAM</u> 21SEP2009		 TE Connectivity			
			CHK <u>M.R.SCHMITT</u> 21SEP2009					
			APVD <u>R.H.WERTZ</u> 21SEP2009		NAME			
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC				
mm		0 PLC ±0.10		108-1950				
		1 PLC ±0.10		APPLICATION SPEC				
		2 PLC ±0.10		114-13120				
		3 PLC ±0.10		WEIGHT				
		4 PLC ±0.10		CUSTOMER DRAWING				
		ANGLES ±1°		SCALE 5:1				
		FINISH		SHEET 2 OF 3				
MATERIAL				REV D				



LOC		DIST		REVISONS			
GP		00		P	LYR	DESCRIPTION	DATE
				-	-	SEE SHEET 1	-

THIS DRAWING IS A CONTROLLED DOCUMENT.				OWN Z.M. REAM 21SEP2009				TE Connectivity			
DIMENSIONS:				CHK M.R. SCHMITT 21SEP2009				NAME			
mm				APVD R.H. WERTZ 21SEP2009				SIZE			
				PRODUCT SPEC				CAGE CODE			
				108-1950				DRAWING NO			
				APPLICATION SPEC				RESTRICTED TO			
				114-13120				C=2110957			
				WEIGHT				SCALE			
				CUSTOMER DRAWING				5:1			
								SHEET			
								3			
								OF			
								3			
								REV			
								D			