




LOC		DIST		REVISONS				
GP		00		P	LTR	DESCRIPTION		DATE
						SEE SHEET 1		




DOUBLE LIGHT PIPES
QUANTITY: 3



HEAT SINK CLIPS
QUANTITY: 3



72 PIN HEAT SINKS
QUANTITY: 3




IX3 BEHIND BEZEL QSFP
CAGE ASSEMBLY
QUANTITY: 1



THIS PRODUCT HAS NOT COMPLETED
VALIDATION/QUALIFICATION TESTING

THIS DRAWING IS A CONTROLLED DOCUMENT.				OWN	C. VALENTIN	28FEB2008	 TE Connectivity	
				CHK	E. BRIGHT	28FEB2008		
				APVD	F. BRIGHT	28FEB2008	NAME	
				PRODUCT SPEC			IX3 CAGE ASSEMBLY, BEHIND BEZEL,	
				108-2286			W/ LIGHT PIPES AND HEAT SINKS,	
				APPLICATION SPEC			QSFP	
				114-13218			SIZE	
				WEIGHT			CAGE CODE	
				CUSTOMER DRAWING			DRAWING NO	
							RESTRICTED TO	
							A100779C=2057042	
							SCALE	
							4:1	
							SHEET	
							2 OF 5	
							REV	
							F	


LOC		DIST		REVISIONS			
GP		00		P	LTR	DESCRIPTION	DATE
						SEE SHEET 1	



ONE SIDED CONFIGURATION
SCALE 3:1




BELLY TO BELLY CONFIGURATION SIMILAR
TO ONE SIDED EXCEPT WHERE NOTED
SCALE 3:1




THIS PRODUCT HAS NOT COMPLETED VALIDATION/QUALIFICATION TESTING


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C. VALENTINE CHK E. BRIGHT APVD F. BRIGHT	28FEB2008 28FEB2008 28FEB2008	TE Connectivity	
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
mm		0 PLC ±.1 1 PLC ±0.1 2 PLC ±0.1 3 PLC ±.1 4 PLC ±.1 ANGLES ±.1 FINISH		1X3 CAGE ASSEMBLY, BEHIND BEZEL, W/ LIGHT PIPES AND HEAT SINKS, QSFP	
MATERIAL		PRODUCT SPEC 108-2286 APPLICATION SPEC 114-13218 WEIGHT		SIZE CAGE CODE DRAWING NO A100779C=2057042	
CUSTOMER DRAWING		SCALE 4:1		SHEET 3 OF 5	
				REV F	



LOC		DIST		REVISONS			
GP	00	P	LYR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-



DETAIL M
SCALE 10:1





DETAIL J
3 PLACES
SCALE 8:1

RECOMMENDED PC BOARD LAYOUT
SINGLE SIDE MOUNT CONFIGURATION
SCALE 5:1

THIS PRODUCT HAS NOT COMPLETED VALIDATION/QUALIFICATION TESTING

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C. VALENTINE CHK E. BRIGHT APVD F. BRIGHT	28FEB2008 28FEB2008 28FEB2008	TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME 1X3 CAGE ASSEMBLY, BEHIND BEZEL, W/ LIGHT PIPES AND HEAT SINKS, QSFP	
0 PLC ±.1 1 PLC ±0.1 2 PLC ±0.1 3 PLC ±.1 4 PLC ±.1 ANGLES ±.1		PRODUCT SPEC 108-2286 APPLICATION SPEC 114-13218		SIZE A100779	
MATERIAL		FINISH		DRAWING NO C=2057042	
		WEIGHT		RESTRICTED TO -	
		CUSTOMER DRAWING		SCALE 4:1 SHEET 4 OF 5 REV F	

LOC		DIST		REVISIONS					
GP	00	P	LTR	DESCRIPTION			DATE	DWN	APVD
		-		SEE SHEET 1			-	-	-



RECOMMENDED PC BOARD LAYOUT
BELLY TO BELLY CONFIGURATION
SEE SHEET 4 FOR COMPONENT
AND TRACE KEEP-OUTS
SCALE 5:1

THIS PRODUCT HAS NOT COMPLETED VALIDATION/QUALIFICATION TESTING

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C. VALENTINE 28FEB2008	TE Connectivity	
DIMENSIONS:		CHK E. BRIGHT 28FEB2008		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD F. BRIGHT 28FEB2008	NAME 1X3 CAGE ASSEMBLY, BEHIND BEZEL, W/ LIGHT PIPES AND HEAT SINKS, QSFP	
	0 PLC ±.1	PRODUCT SPEC	SIZE A100779	
	1 PLC ±0.1	108-2286		
	2 PLC ±.1	APPLICATION SPEC	CAGE CODE 2057042	
	3 PLC ±.1	114-13218		
MATERIAL		WEIGHT	RESTRICTED TO	
FINISH		-		
CUSTOMER DRAWING		SCALE 4:1	SHEET 5 OF 5	REV F