70-402-1

Socket, SE Relays general purpose relay accessory, DPDT, 10A, 300 V, 8 pins, pins for printed circuit board, 782 series



Main

Product Range	Legacy
Product Type	Socket
Product Compatibility	Relay 782XBX
Number of Terminals	8
Switch Function	DPDT
Contact Composition	2 NO + 2 NC

Complementary

Rated Current	10 A	
[Ue] rated operational voltage	300 V	
Contact Terminal Arrangement	Mixed	
Connections Terminals	Pins for printed circuit board	
Fixing Mode	By screws	
Product Weight	0.23 oz (6.5 g)	
Width	0.83 in (21.1 mm)	
Depth	2.24 in (57 mm)	

Environment

Ambient Air Temperature for Storage	-40221 °F (-40105 °C)
Ambient Air Temperature for Operation	-40131 °F (-4055 °C)
Flame Retardance	UL94-V0
Product Certifications	UL CSA CE

Ordering and shipping details

GTIN	3606480277924	
Nbr. of units in pkg.	1	
Package weight(Lbs)	0.23 oz (6.5 g)	

Packing Units

PCE	
1.15 in (2.91 cm)	
0.83 in (2.11 cm)	
0.59 in (1.491 cm)	
BB1	
10	
2.29 oz (65.0 g)	
1.06 in (2.7 cm)	
1.30 in (3.3 cm)	
5.04 in (12.8 cm)	
	1.15 in (2.91 cm) 0.83 in (2.11 cm) 0.59 in (1.491 cm) BB1 10 2.29 oz (65.0 g) 1.06 in (2.7 cm) 1.30 in (3.3 cm)

Unit Type of Package 3	CAR
Number of Units in Package 3	1000
Package 3 Weight	14.33 lb(US) (6.5 kg)
Package 3 Height	8.27 in (21 cm)
Package 3 width	11.42 in (29 cm)
Package 3 Length	12.99 in (33 cm)
Offer Sustainability California proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACh Regulation	REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
Toxic heavy metal free	Yes

Yes

Yes

The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Mercury free

WEEE

RoHS exemption information

China RoHS Regulation

Approximate Dimensions

