

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION


-.-.

© COPYRIGHT - TE Connectivity

ALL RIGHTS RESERVED.



## REVISIONS

P	LTR	DESCRIPTION	DATE	DRN	APVD
A		FIRST RELEASE	14JAN2019	PH	AC



## NOTES:


1. MATERIALS : REFER TO TABLE.
2. A: ALL MATERIALS, COMPONENTS AND PROCESSES SHALL COMPLY WITH TEC-138-702 (CONTAINS NO BANNED OR RESTRICTED SUBSTANCES)
- B: NO REACH SVHC SHALL BE CONTAINED ABOVE THE THRESHOLD AS DEFINED IN REACH SVHC
- C: LOW HALOGEN: CODE 2(Br<900PPM, Cl<900PPM, Br+Cl<1500PPM PER HOMOGENEOUS MATERIAL) COMPLIANCE DEFINITION IN ANNEX A OF TEC-138-702
3. CONTACT TE CONNECTIVITY ENGINEERING PRIOR TO DESIGNING INTO AN APPLICATION



TE PN

2195763-1

5	CONNECTOR	I-PEX MHF-20278	1
4	CABLE	COAXIAL CABLE ,OD1.13mm,BLACK	1
3	SHIELDING COVER	SIZE: 25.8*24.4*3.6mm	1
2	PCB	FR4, 35.5x35.5x0.8mm	1
1	CERAMIC	SIZE: 35.5x35.5*4mm	1
NO.	ITEM	SPECIFICATION	QTY

THIS DRAWING IS A CONTROLLED DOCUMENT.		DRN PAUL HAUNG 20DEC2018	 TE Connectivity	
DIMENSIONS: mm		OK AMOS CHEAH 20DEC2018		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD AMOS CHEAH 20DEC2018	NAME	
0 PLC ± -		PRODUCT SPEC	GNSS_35x35_L70	
1 PLC ± -		APPLICATION SPEC	SIZE GAGE CODE DRAWING NO	
2 PLC ± -		WEIGHT	A2 00779 C-2195763	
3 PLC ± -		CUSTOMER DRAWING	RESTRICTED TO	
4 PLC ± -		SCALE 1:1	SHEET 1 of 1	
ANGLES ± -		REV A		
FINISH				