








EJECT HEIGHT
FOR HALF CARD

-D- IS THE TOP SURFACE OF PCB.

RECOMMENDED P.C. BOARD PATTERN LAYOUT
FOR FULL CARD CONNECTOR
(TOP VIEW)





- NOTES: (BOTTOM SIDE)
- △ CARD THICKNESS APPLIES ACROSS TABS AND INCLUDES PLATING AND/OR METALLIZATION.
- △ EDGE BEVEL MUST BE PRESENT AND FREE OF CUTTING BURRS FROM PCB AND CONTACT MATERIALS.
- △ COMPONENT AND ROUTING (TOP/BOTTOM LAYER) KEEP OUT AREA FOR HOLD DOWN SOLUTIONS.

TOLERANCE		深圳聚兴泰电子科技有限公司 Shenzhen Juxingtai Electronic Technology Co., Ltd				
X.:±0.40	X':±1.5"	PART NO. A052R2-90H		TITLE: MINI PCI EXPRESS 9.0MM HEIGHT		
X.X:±0.30	X.X':±1.0"					
X.XX:±0.20	X.XX':±0.5"	DESIGN: Ethan		MANUFACTURE DWG		
UNITS	mm					
MATERILA	— — —	CHED: Olvia			SCALE	SHEET
FINISH	— — —	APPD: Ava			N:A	1/1