









REV	ECN No.	DATE	REMARK
A	NEW	2020.08.03	NEW RELEASE
B	ECR231004-001	2023.10.04	优化产品结构满足自动机生产和模具生产需求




SECTION A-A


TYPE:

5	CAP	LCP UL94V-0	BLACK	
4	SHELL	SUS304 T=0.30mm	NICKEL 30u" MIN PLATING	1PCS
3	SHIELDING PLATE	SUS301 T=0.15mm	---	1PCS
2	CONTACT	C18400-H T=0.12mm	Au Plated On Vontact Area GF Plated On Solder Area; Nickel 50u"Min Underplating Over All.	2SET
1	HOUSING	LCP UL94V-0	BLACK	1PCS
NO.	DESCRIPTION	MATERIAL	REMARKS	QTY
GENERAL TOLERANCES (UNLESS SPECIFIED)		DRAWN BY: HuangXiaoHao Date: 2023.10.04	ZDT 深圳市中科兴达科技有限公司 Shenzhen Zhongke Xingda Technological Co.,Ltd.	
X.XXX	±0.10	CHECKED BY: liuzongliang Date: 2023.10.04	TITLE USB TYPE C FEMALE 16PIN VERTICAL TYPE SHELL H6.50mm	
X.XX	±0.25	APPROVED BY: Jacky Date: 2023.10.04	PART NO. CF136-16-01	
X.X	±0.30		DWG NO. CF136-16-01	
ANGULAR	±3°			
THIRD ANGLE PROJECTION		UNT mm	SCALE 1:1	DRAWING A4
			SHEET NO. 1 OF 3	REV. B

REV	ECN No.	DATE	REMARK
A	NEW	2020.08.03	NEW RELEASE
B	ECR231004-001	2023.10.04	优化产品结构满足自动机生产和模具生产需求





① 将产品装入载带内,每卷600PCS



描述:

- 产品依以上图纸包装方式对成品进行包装,载带前空24PCS,从第25格开始放置产品,放满600PCS后再将载带尾部空置24PCS不放产品;
- 产品包装好后再用保护带将载带固定在卷盘上,再在四周贴上3PCS美纹胶,再贴上内盘标签和环保标签;
- 将1PCS隔板放入内箱底部,再将10盘产品放入纸箱中,放上4PCS护角。
- 最后在最上层盖上1PCS隔板,共计6000PCS/箱;
- 纸箱封盖后再用封箱胶纸将纸箱口於“工”字型封好。
- 并在纸箱的右上角贴上外箱标签环保标签;
- 未满之零数箱,需以缓冲材料填满,并粘贴尾数标签。



NO.	包材名称 Items	包材料号 Item no	用量 Usage	适用类别 Series	备注 / Remark
①	纸箱 Carton	PE338	1	(空白纸)	外尺寸: 340*340*320mm.K=K
②	载带 carrier tape	PB279	10	箱	W=24mm,7.776m/R透明PET
③	自粘上带 cover tape	P120122-01	/	自粘上带	Blank W=21.3MM,200m/r透明色
④	塑胶卷轴 Plastic Reel	P120021-01	10		Ø330mm,W=30mm
⑤	三角卡板 平卡		2		365*300*5mm/340*340*5mm
⑥	合格标签 Qualified Label		10		
⑦	出货标签 Delivery Label		1		
⑧	保护带 Protect tape	PB284	/		W24*400M/R
⑨	环保标签		11		

产品规格 Product spec.	/
包装容量 Pcs/Reel	600
带/箱 Reel/Clos.	10
QTY 个/箱 Pcs/Clos.	6000
重量 N.W. (Kg)	/kg
毛重 G.W.	/kg

GENERAL TOLERANCES (UNLESS SPECIFIED)		DRAWN BY: Date: HuangXiaoHao 2023.10.04		ZDT 深圳市中兴科兴达科技有限公司 Shenzhen Zhongke Xingda Technological Co.,Ltd.	
X.XXX	±0.10	CHECKED BY: Date: liuzongliang 2023.10.04		TITLE USB TYPE C FEMALE 16PIN VERTICAL TYPE SHELL H6.50mm	
X.XX	±0.25	APPROVED BY: Date: Jacky 2023.10.04		PART NO. CF136-16LB12R-01	DWG NO. CF136-16-01
X.X	±0.30	THIRD ANGLE PROJECTION		SHEET NO. 3 OF 3	REV. B
ANGULAR	±3°	UNT mm	SCALE 1:1	DRAWING A4	