






REV	ECN No.	DATE	REMARK
A	NEW	2024.07.15	NEW RELEASE



USB Type-C Pin Assignments

Pin Number	Signal Name	Pin Number	Signal Name
A1	GND	B12	GND
A2	----	B11	----
A3	----	B10	----
A4	VBUS	B9	VBUS
A5	CC1	B8	SBU2
A6	Dp1	B7	Dn2
A7	Dn1	B6	Dp2
A8	SBU1	B5	CC2
A9	VBUS	B4	VBUS
A10	----	B3	----
A11	----	B2	----
A12	GND	B1	GND



RECOMMENDED PCB LAYOUT T=1.00mm
DEFAULT TOLERANCE:±0.05

GENERAL TOLERANCES (UNLESS SPECIFIED)		DRAWN BY: HuangXiaoHao	Date: 2024.07.15	ZDT 深圳市中科兴达科技有限公司 Shenzhen Zhongke Xingda Technological Co;Ltd.		
X.XXX	±0.10	CHECKED BY:	Date:	TITLE		
X.XX	±0.25	liuzongliang	2024.07.15	USB TYPE-C 16PIN L=7.35 SMT TYPE DIP+SMT		
X.X	±0.30	APPROVED BY:	Date:	PART NO.	DWG NO.	
ANGULAR	±3°	Jacky	2024.07.15	Ordering Information	CF316-021SCB12R-02	
THIRD ANGLE PROJECTION 		UNT mm	SCALE 1:1	DRAWING A4	SHEET NO. 2 OF 2	REV. A

