







	A	B	C	D	E																																									
			REV.	DESCRIPTION	ECN NO.	NAME	DATE																																							
1	 <p>2±0.15 (PITCH)</p> <p>DIMA±0.20</p> <p>DIMB±0.25</p>																																													
2																																														
3	 <p>①</p> <p>②</p> <p>0.5±0.05</p>	 <p>4.75±0.25</p> <p>3.02±0.20</p> <p>6±0.25</p> <p>3.4±0.20</p> <p>(3.9)</p> <p>(4.75)</p>																																												
4				SECTION A-A																																										
5	<p>技术指标 (Technical Index):</p> <ol style="list-style-type: none"> <li>1. 工作温度 (Temperature range): -25°C~85°C.</li> <li>2. 额定电压 (Rated voltage): 200V DC/AC(rms).</li> <li>3. 额定电流 (Rated current): 2.0A AC,DC.</li> <li>4. 接触电阻 (Contact resistance): ≤25mΩ.</li> <li>5. 耐压值 (Withstanding voltage): 500V AC/minute.</li> <li>6. 绝缘电阻 (Insulation resistance): ≥ 1000MΩ.</li> </ol>	 <p>DIMA±0.10</p> <p>2±0.10</p> <p>0.8±0.10</p> <p>0.60</p> <p>适用线路板 (PCB LAYOUT)</p>	<table border="1"> <tr> <td>GENERAL TOLERANCE</td> <td colspan="4">DONGGUAN BAOXUN PRECISION TECHNOLOGY CO., LTD</td> </tr> <tr> <td>DIM. x x.x x.xx</td> <td>TOL. ±0.50 ±0.20 ±0.10</td> <td colspan="4">TITLE: PH2.0 直针 WTB</td> </tr> <tr> <td>GENERAL ANGLE: x.*</td> <td>±1°</td> <td colspan="4">DWG. NO.: WF-PH2.0-XPA1</td> </tr> <tr> <td></td> <td></td> <td colspan="4">CHECKED: MAX</td> </tr> <tr> <td></td> <td></td> <td colspan="4">PART NO.: WF-PH2.0-XPA1</td> </tr> <tr> <td></td> <td></td> <td colspan="4">DRAWN: ELLA</td> </tr> <tr> <td>UNIT: mm</td> <td>SCALE: none</td> <td>SHEET: 1 of 1</td> <td>DWG. SIZE: A4</td> <td>LAYER: bxconn</td> <td>APPROVED: WILL</td> </tr> </table>	GENERAL TOLERANCE	DONGGUAN BAOXUN PRECISION TECHNOLOGY CO., LTD				DIM. x x.x x.xx	TOL. ±0.50 ±0.20 ±0.10	TITLE: PH2.0 直针 WTB				GENERAL ANGLE: x.*	±1°	DWG. NO.: WF-PH2.0-XPA1						CHECKED: MAX						PART NO.: WF-PH2.0-XPA1						DRAWN: ELLA				UNIT: mm	SCALE: none	SHEET: 1 of 1	DWG. SIZE: A4	LAYER: bxconn	APPROVED: WILL		
GENERAL TOLERANCE	DONGGUAN BAOXUN PRECISION TECHNOLOGY CO., LTD																																													
DIM. x x.x x.xx	TOL. ±0.50 ±0.20 ±0.10	TITLE: PH2.0 直针 WTB																																												
GENERAL ANGLE: x.*	±1°	DWG. NO.: WF-PH2.0-XPA1																																												
		CHECKED: MAX																																												
		PART NO.: WF-PH2.0-XPA1																																												
		DRAWN: ELLA																																												
UNIT: mm	SCALE: none	SHEET: 1 of 1	DWG. SIZE: A4	LAYER: bxconn	APPROVED: WILL																																									

1	A	B	C	D	E																																																																																																										
				<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">REV.</th> <th style="width: 60%;">DESCRIPTION</th> <th style="width: 10%;">ECN NO.</th> <th style="width: 10%;">NAME</th> <th style="width: 10%;">DATE</th> </tr> </thead> </table>	REV.	DESCRIPTION	ECN NO.	NAME	DATE																																																																																																						
REV.	DESCRIPTION	ECN NO.	NAME	DATE																																																																																																											
2					<p>NOTE(注):</p> <ol style="list-style-type: none"> <li>1.10 SPROCKET HOLE PITCH CUMULATIVE TOLERANCE <math>\pm 0.2\text{mm}</math>. (10片孔距累积公差<math>\pm 0.2\text{mm}</math>.)</li> <li>2. CARRIER CAMBER NOT TO EXCEED 1mm IN 100mm. (载带拱/弧形MAX:1/100mm.)</li> <li>3. ALL DIMENSIONS MEET EIA-481 REQUIREMENTS. (所有的尺寸要满足协会EIA-481规范.)</li> <li>4. MATERIAL: CLEAR ANTISTATIC PS, COLD SEALING. (载带材料:透明 PS,冷封.)</li> <li>5. THICKNESS: 0.50±0.05mm. (载带厚度:0.50±0.05mm.)</li> <li>6. PACKING LENGTH PER REEL: 6.432 METERS. (每卷包装长度:6.432米.)</li> <li>7. COMPONENT LOAD PER REEL: 500 PCS. (每卷包装数量:500只,前后各空18只.)</li> <li>8. 纸箱装箱以不超过装箱线为准, 空余位置用塑料泡沫及保尼龙填充.</li> <li>9. 纸箱分小、中、标准型3种规格型号: 装箱为整箱(左下包装量)采用标准型纸箱包装, 未达到整箱数量以产品量适当采用小型或中型纸箱包装.</li> </ol>																																																																																																										
3					<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">CKT (2.0mm pitch)</th> <th style="width: 10%;">B0</th> <th style="width: 10%;">W</th> <th style="width: 10%;">F</th> <th style="width: 10%;">S</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>6.30</td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>8.30</td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>10.30</td> <td></td> <td></td> <td></td> </tr> <tr> <td>5</td> <td>12.30</td> <td></td> <td></td> <td></td> </tr> <tr> <td>6</td> <td>14.30</td> <td></td> <td></td> <td></td> </tr> <tr> <td>7</td> <td>16.30</td> <td></td> <td></td> <td></td> </tr> <tr> <td>8</td> <td>18.30</td> <td></td> <td></td> <td></td> </tr> <tr> <td>9</td> <td>20.30</td> <td></td> <td></td> <td></td> </tr> <tr> <td>10</td> <td>22.30</td> <td></td> <td></td> <td></td> </tr> <tr> <td>11</td> <td>24.30</td> <td></td> <td></td> <td></td> </tr> <tr> <td>12</td> <td>26.30</td> <td></td> <td></td> <td></td> </tr> <tr> <td>13</td> <td>28.30</td> <td></td> <td></td> <td></td> </tr> <tr> <td>14</td> <td>30.30</td> <td></td> <td></td> <td></td> </tr> <tr> <td>15</td> <td>32.30</td> <td></td> <td></td> <td></td> </tr> <tr> <td>16</td> <td>34.30</td> <td></td> <td></td> <td></td> </tr> <tr> <td>17</td> <td>36.30</td> <td></td> <td></td> <td></td> </tr> <tr> <td>18</td> <td>38.30</td> <td></td> <td></td> <td></td> </tr> <tr> <td>19</td> <td>40.30</td> <td></td> <td></td> <td></td> </tr> <tr> <td>20</td> <td>42.30</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	CKT (2.0mm pitch)	B0	W	F	S	2	6.30				3	8.30				4	10.30				5	12.30				6	14.30				7	16.30				8	18.30				9	20.30				10	22.30				11	24.30				12	26.30				13	28.30				14	30.30				15	32.30				16	34.30				17	36.30				18	38.30				19	40.30				20	42.30									
CKT (2.0mm pitch)	B0	W	F	S																																																																																																											
2	6.30																																																																																																														
3	8.30																																																																																																														
4	10.30																																																																																																														
5	12.30																																																																																																														
6	14.30																																																																																																														
7	16.30																																																																																																														
8	18.30																																																																																																														
9	20.30																																																																																																														
10	22.30																																																																																																														
11	24.30																																																																																																														
12	26.30																																																																																																														
13	28.30																																																																																																														
14	30.30																																																																																																														
15	32.30																																																																																																														
16	34.30																																																																																																														
17	36.30																																																																																																														
18	38.30																																																																																																														
19	40.30																																																																																																														
20	42.30																																																																																																														
4	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">CKT (2.0mm pitch)</th> <th style="width: 10%;">W</th> <th style="width: 10%;">PCS/RELL</th> <th style="width: 10%;">RELL/CARTON</th> <th style="width: 10%;">SUM(PCS)</th> </tr> </thead> <tbody> <tr> <td>2</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>24</td> <td>500</td> <td>10</td> <td>5000</td> </tr> <tr> <td>5</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>6</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>7</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>8</td> <td>32</td> <td>500</td> <td>8</td> <td>4000</td> </tr> <tr> <td>9</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>10</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>11</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>13</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>14</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>15</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>16</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>17</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>18</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>19</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>20</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	CKT (2.0mm pitch)	W	PCS/RELL	RELL/CARTON	SUM(PCS)	2					3					4	24	500	10	5000	5					6					7					8	32	500	8	4000	9					10					11					12					13					14					15					16					17					18					19					20					<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">纸箱型号 Carton Type</th> <th style="width: 10%;">小型 Small Size</th> <th style="width: 10%;">中型 Medium</th> <th style="width: 10%;">标准型 Standard</th> </tr> </thead> <tbody> <tr> <td>高度 Height (CM)</td> <td>7.5</td> <td>15</td> <td>32</td> </tr> </tbody> </table>	纸箱型号 Carton Type	小型 Small Size	中型 Medium	标准型 Standard	高度 Height (CM)	7.5	15	32	
CKT (2.0mm pitch)	W	PCS/RELL	RELL/CARTON	SUM(PCS)																																																																																																											
2																																																																																																															
3																																																																																																															
4	24	500	10	5000																																																																																																											
5																																																																																																															
6																																																																																																															
7																																																																																																															
8	32	500	8	4000																																																																																																											
9																																																																																																															
10																																																																																																															
11																																																																																																															
12																																																																																																															
13																																																																																																															
14																																																																																																															
15																																																																																																															
16																																																																																																															
17																																																																																																															
18																																																																																																															
19																																																																																																															
20																																																																																																															
纸箱型号 Carton Type	小型 Small Size	中型 Medium	标准型 Standard																																																																																																												
高度 Height (CM)	7.5	15	32																																																																																																												
5		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="width: 10%;">GENERAL TOLERANCE</th> <th colspan="3" style="width: 90%;">DONGGUAN BAOXUN PRECISION TECHNOLOGY CO., LTD</th> </tr> </thead> <tbody> <tr> <td style="width: 10%;">DIM. x</td> <td style="width: 10%;">TOL. <math>\pm 0.50</math></td> <td colspan="3">TITLE: PH2.0直针WTB载带</td> </tr> <tr> <td>x.x</td> <td><math>\pm 0.20</math></td> <td colspan="3">DWG. NO.: WF-PH2.0-XPA1</td> </tr> <tr> <td>x.xx</td> <td><math>\pm 0.10</math></td> <td colspan="3">DRAWN: ELLA</td> </tr> <tr> <td colspan="2">GENERAL ANGLE: x.°</td> <td colspan="3">CHECKED: MAX</td> </tr> <tr> <td colspan="2"><math>\pm 1^\circ</math></td> <td colspan="3">PART NO.: WF-PH2.0-XPA1</td> </tr> <tr> <td colspan="2"></td> <td colspan="3">APPROVED: WILL</td> </tr> <tr> <td>UNIT: mm</td> <td>SCALE: none</td> <td>SHET: 1 of 1</td> <td>DWG. SIZE: A4</td> <td>DATE: bxconn</td> </tr> </tbody> </table>	GENERAL TOLERANCE		DONGGUAN BAOXUN PRECISION TECHNOLOGY CO., LTD			DIM. x	TOL. $\pm 0.50$	TITLE: PH2.0直针WTB载带			x.x	$\pm 0.20$	DWG. NO.: WF-PH2.0-XPA1			x.xx	$\pm 0.10$	DRAWN: ELLA			GENERAL ANGLE: x.°		CHECKED: MAX			$\pm 1^\circ$		PART NO.: WF-PH2.0-XPA1					APPROVED: WILL			UNIT: mm	SCALE: none	SHET: 1 of 1	DWG. SIZE: A4	DATE: bxconn																																																																					
GENERAL TOLERANCE		DONGGUAN BAOXUN PRECISION TECHNOLOGY CO., LTD																																																																																																													
DIM. x	TOL. $\pm 0.50$	TITLE: PH2.0直针WTB载带																																																																																																													
x.x	$\pm 0.20$	DWG. NO.: WF-PH2.0-XPA1																																																																																																													
x.xx	$\pm 0.10$	DRAWN: ELLA																																																																																																													
GENERAL ANGLE: x.°		CHECKED: MAX																																																																																																													
$\pm 1^\circ$		PART NO.: WF-PH2.0-XPA1																																																																																																													
		APPROVED: WILL																																																																																																													
UNIT: mm	SCALE: none	SHET: 1 of 1	DWG. SIZE: A4	DATE: bxconn																																																																																																											