


Technical drawing of a rectangular plate. The plate is divided into three horizontal sections labeled A, B, and C from top to bottom. Section A is the top section, B is the middle section, and C is the bottom section. A dimension line indicates a length of 9.50 MAX for the middle section B. A dimension line indicates a width of 7 for the middle section B.




<i>PIN</i>	<i>Signal Name</i>	<i>Description</i>	<i>PIN</i>	<i>Signal Name</i>	<i>Description</i>






SION TECHNOLOGY CO., LTD BXCONN®



WWW.BXCONN.COM 东莞市宝讯精密技术有限公司 ARTICLE: BX-CN-001-A



		D		E	
REV.	DESCRIPTION		ECN NO.	NAME	DATE



	REEL	CARTON
CONNECTOR (PCS)	800	7200PCS

GENERAL TOLERANCE		DONGGUAN BAOXUN PRECISION TECHNOLOGY CO., LTD				BXCONN®	
DIM. TOL. .x ±0.30 .xx ±0.20 .xxx ±0.10 GENERAL ANGLE: .x° ±3° .xx° ±2°		TITLE: TYPE C/F 24PIN 防水IP68板上双贴 SMT					
		DWG. NO.: TYPE-C-24P-IPX8		CHECKED: MAX			
		PART NO.: TYPE-C-24P-IPX8		DRAWN: ELLA			
		UNIT: mm	SCALE: none	SHEET: 1 of 1	DWG. SIZE: A4	LAYER: bxconn	APPROVED: WILL

