



REV.	ECN NO.	REVISED	DATE

NOTE:

- 1.MATERIAL:
a.HOUSING:PPA
b.CONTACT:PHOSPHOR BRONZE
(SURFACE PLATING: Au-Plating)
SEE ORDERING INFORMATION





- 2.ELECTRIC:
a.CONTACT RESISTANCE: 30 MILLIOHMS MAX
b.INSULATION RESISTANCE: 100 MEGA OHMS MIN
c.DIELECTNIC VOLTAGE: 500V AC ONE MINUTE
d.OPERATING TEMPERATURE: -25°C~ +85°C

- 3.PACKAGING:
a.PLASTIC TRAY
b.TAPE OR REEL

ORDERING INFORMATION
BS-08-B2AA002

电池座系列
BS-08系列
SMT 180° TYPE
PLATING:
A-Au-Plating
MATERIAL:
2A-PPA BROWN


工程部
2023-11-22
LQ. HUANG




PCB Layout Diagram
Top View

NO.	PART NAME	Q'TY	MATERIAL	PLATING & COLOR
3	TERMINAL(-)	1	PHOSPHOR BRONZE, T=0.20mm	Gold Plating and Ni Under-Plating
2	TERMINAL(+)	1	PHOSPHOR BRONZE, T=0.20mm	Gold Plating and Ni Under-Plating
1	HOUSING	1	PPA	BROWN

UNLESS OTHERWISE SPECIFIED TOLERANCES		MYOUNG 美阳 www.meiyangdz.com			
DECIMALS:	ANGLES:	DSND	Huanglieqing	DATE	2023-11-22
X :±0.30	X :±1°	CHKD	LinAnzuo	DATE	2023-11-22
X.X :±0.25	X.X :±0.5°	APVD	XueShunying	DATE	2023-11-22
X.XX :±0.20		SCALE: 1:1		SIZE: A4	VIEW: ① ②
X.XXX :±0.10		SHEET 1 OF 3		UNIT: mm	REV.: A/0
				OBJECT: MY	DRAW NO.:MY-CP-0004




Seal the top and bottom of the outer box with adhesive tape to form the character "工".




Each plate contains 10 rows, each row contains 10 PCS, for a total of 100 PCS




Transparent film wrapping "工"



41 plastic trays are bundled together, with an empty plastic tray at the top, totaling 4000 products.





desiccant 3PCS





Packaging information:

1. Each plate contains 10 rows, each row contains 10 PCS, for a total of 100 PCS;
2. 41 plastic trays are bundled together, with an empty plastic tray at the top, totaling 4000 products;
3. Each large plastic bag contains 40 plates of products, totaling 4000 products;
4. Each outer box contains a large plastic bag, totaling 4000 products
5. Seal the top and bottom of the outer box with adhesive tape to form the character "工";

UNLESS OTHERWISE SPECIFIED TOLERANCES		MYOUNG 美用 www.meiyangdz.com					
DECIMALS:	ANGLES:	DSND	WangHeng	DATE	2025-11-03	TITLE:	
X : ±***	X : ±***	CHKD	LinAnzuo	DATE	2025-11-03		
X.X : ±***	X.X : ±***	APVD	XueShunYong	DATE	2025-11-03	PART NO.:	
X.XX : ±***	X.XX : ±***	A-PD		SCALE:	SIZE: A4	VIEW:	BS-08-B2AA002
X.XXX : ±***	X.XXX : ±***	SHEET 2 OF 3		UNIT: mm	REV.: A/0	OBJECT: MY	DRAW NO.:MY-BZ-0011



1. Each roll contains 500 products, with relevant labels attached to the outside of the roll;
2. Put every 6 rolls in a plastic bag;
3. Each outer box contains 6 plates, with a total of 3000 products;
4. Seal the top and bottom of the outer box with adhesive tape to form the character "工";
5. Battery holder packaging material BS-2032-8 SMT roll pack(BS-2032-8-01-R).



H. WANG

UNLESS OTHERWISE SPECIFIED TOLERANCES		MYOUNG 美阳 www.meiyangdz.com							
DECIMALS: X :±*** X.X :±*** X.XX :±*** X.XXX :±***		ANGLES: X :±*** X.X :±***		DSND	WangHeng	DATE	2025-08-01	TITLE: BS-2032-8K SMT 卷装	
				CHKD	LinAnzuo	DATE	2025-08-01		
				APVD	XueShunyang	DATE	2025-08-01		
A-PD		SCALE:		SIZE: A4		VIEW: 		PART NO.: BS-08-B2AA002-R	
SHEET 3 OF 3		UNIT: mm		REV.: A/0		OBJECT: MY		DRAW NO.:MY-BD-0007	