



ISO9001-2015  
Certificate No:672022020207194

No.T52210311961TC Date;OCT 12,2022 No.T52310270397TC Date;apr 15,2023

# 承認書

## SPECIFICATION FOR APPROVAL

客户名稱  
CUSTOMER

品名規格  
DESCRIPTION RH3.5x3.0x0.8

客户料號  
CUS. P/N

提出日期  
DATE 2025.05.12

出圖 RDRAWING		
發行 MADE	復核 CHECKED	確認 APPROVED
李光赫	方煜镗	梁琼
销售部：张 丽		


承 認 CUSTOMER APPROVE



ITEM		插件磁珠 : 3.5*3	
SCALE:	UNIT:	METHOD:	DATE:
NONE	mm.	第三角法	2025.05.12
DRAWN/DATE	CHECK/DATE	APPROVED/DATE	ISSUE NO
李光赫	方煜镗	梁琼	

### 1. DIMENSIONS:

$\psi A$	$\psi C$	D	W	L1	L2
3.50±0.20	0.8±0.15	3.0±0.30	0.55±0.02	29.5±0.2	29.5±0.2



### 2. ELECTRONIC CHARACTERISTICS:

ITEM.	IMPEDANCE( $\Omega$ )	
	25MHZ	100MHZ
SPEC.	20MIN	40MIN

### 3. NOTES:


- (1) WIRE & WINDING:  $\Phi 0.85$ T.C.W $\times 63.5$ mm 1/2TS
- (2) FIXTURE MESUEAMENT: HP-16092A.
- (3) TEST METER: HP-4191A RF.



# 阻抗 - 頻率曲綫

## IMPEDANCE V.S FREQUENCY (Z-Y)

客戶名稱 CUSTOMER		日期 DATE	2025.05.12
規格 ITEM	RH3.5x3.0x0.8	編號 SERIAL NO.	



**測試條件:**  
TESTING CONDITION:

1. 測試儀器: E4991A+16194A  
Testing Equipment:
2. 測試頻率區間: 1-500MHz  
Testing Frequency Range:
3. 測試綫組: Φ0.5x0.5TSx100L(mm)雙孔穿綫  
Testing Coil Specification:

**說明Note:**

本承認書在客戶收到7天之內，須簽章返回，逾期視為默認。

The Specification Approval is required to be sent back to the supplier with customer's chop or signature on it within 4 days after receiving it, or we will take it as approved by customer automatically.

測試 TESTED	復核 CHECKED	確認 APPROVED
李光赫	方煜镗	梁琼