





|                                                                            |  |                                                                                     |  |   |  |   |  |   |  |   |  |   |  |   |  |
|----------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|--|---|--|---|--|---|--|---|--|---|--|---|--|
| 1                                                                          |  | 2                                                                                   |  | 3 |  | 4 |  | 5 |  | 6 |  | 7 |  | 8 |  |
| A                                                                          |  | B                                                                                   |  | C |  | D |  | E |  | F |  | G |  | H |  |
| Assembly stack height schematic diagram                                    |  |                                                                                     |  |   |  |   |  |   |  |   |  |   |  |   |  |
|                                                                            |  |                                                                                     |  |   |  |   |  |   |  |   |  |   |  |   |  |
|                                                                            |  |                                                                                     |  |   |  |   |  |   |  |   |  |   |  |   |  |
|                                                                            |  |                                                                                     |  |   |  |   |  |   |  |   |  |   |  |   |  |
| <div>RoHS Compliant</div> <div>2013/95/EC</div> <div>Process Capable</div> |  |                                                                                     |  |   |  |   |  |   |  |   |  |   |  |   |  |
|                                                                            |  | <div>HOW TO MATE AND EXTRACT</div> <div>MATE: ① → ④</div> <div>EXTRACT: ⑤ → ⑥</div> |  |   |  |   |  |   |  |   |  |   |  |   |  |
|                                                                            |  | <div>NOTE:Mating force will generate from step 3 to step 4.</div>                   |  |   |  |   |  |   |  |   |  |   |  |   |  |
|                                                                            |  |                                                                                     |  |   |  |   |  |   |  |   |  |   |  |   |  |
| 1                                                                          |  | 2                                                                                   |  | 3 |  | 4 |  | 5 |  | 6 |  | 7 |  | 8 |  |

|                                                                      |  |                                                                                           |              |                                          |           |                 |
|----------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------|--------------|------------------------------------------|-----------|-----------------|
| CUSTOMER DRAWING                                                     |  | <div> 连兴旺电子(深圳)有限公司</div> <div>connectivity LXWCONN ELECTRONICS (SHENZHEN) CO., LTD</div> |              |                                          |           |                 |
| GENERAL TOLERANCE<br>.X ±0.35<br>.XX ±0.25<br>.XXX ±0.15<br>ANGLE±3° |  | DESIGN Tan<br>2026.05.12                                                                  |              | TITLE<br>0.5Pitch 67pin M.2 H3.2 (KEY E) |           |                 |
|                                                                      |  | CHECKED Tan<br>2026.05.12                                                                 |              | PART NO.<br>26004-S20674BXX12R           |           |                 |
| SIZE<br>A4                                                           |  | APPROVAL Tan<br>2026.05.12                                                                | SCALE<br>1:1 | UNITS<br>MM                              | REV.<br>A | SHEET<br>2 OF 4 |





RoHS Compliant  
2013/95/EC



|                                                                      |  |                                                                       |                                       |          |        |              |  |
|----------------------------------------------------------------------|--|-----------------------------------------------------------------------|---------------------------------------|----------|--------|--------------|--|
| CUSTOMER DRAWING                                                     |  | 连兴旺电子(深圳)有限公司<br>connectivity LXWCONN ELECTRONICS (SHENZHEN) CO., LTD |                                       |          |        |              |  |
| GENERAL TOLERANCE<br>.X ±0.35<br>.XX ±0.25<br>.XXX ±0.15<br>ANGLE±3° |  | DESIGN Tan<br>2026.05.12                                              | TITLE 0.5Pitch 67pin M.2 H3.2 (KEY E) |          |        |              |  |
|                                                                      |  | CHECKED Tan<br>2026.05.12                                             | PART NO. 26004-S20674BXX12R           |          |        |              |  |
| SIZE A4                                                              |  | APPROVAL Tan<br>2026.05.12                                            | SCALE 1:1                             | UNITS MM | REV. A | SHEET 2 OF 4 |  |



|                                                                          |                                                                                       |                                                                                                                                                                                   |                                         |             |           |                 |
|--------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|-------------|-----------|-----------------|
| CUSTOMER<br>DRAWING                                                      |                                                                                       |  <b>LXW</b><br>connectivity         连兴旺电子(深圳)有限公司<br>LXWCONN ELECTRONICS (SHENZHEN) CO., LTD |                                         |             |           |                 |
| GENERAL<br>TOLERANCE<br>.X ±0.35<br>.XX ±0.25<br>.XXX ±0.15<br>ANGLE ±3° |                                                                                       | DESIGN Tan<br>2026.05.12                                                                                                                                                          | TITLE<br>0.5Pitch 67pin M.2 H3.2(KEY E) |             |           |                 |
|                                                                          |                                                                                       | CHECKED Tan<br>2026.05.12                                                                                                                                                         | PART NO.<br>26004-S20674BXX12R          |             |           |                 |
| SIZE                                                                     |  | APPROVAL Tan<br>2026.05.12                                                                                                                                                        | SCALE<br>1:1                            | UNITS<br>MM | REV.<br>A | SHEET<br>3 OF 4 |
| A4                                                                       |                                                                                       |                                                                                                                                                                                   |                                         |             |           |                 |



|          |            |
|----------|------------|
| 1200     | 9600       |
| PCS/REEL | PCS/CARTON |

RoHS Compliant  
2013/95/EC

Process Capable

|                                                                             |                                                                                       |                                                                                                                  |                                         |                                                          |           |                 |
|-----------------------------------------------------------------------------|---------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-----------------------------------------|----------------------------------------------------------|-----------|-----------------|
| CUSTOMER<br>DRAWING                                                         |                                                                                       |  <b>LXW</b><br>connectivity |                                         | 连兴旺电子(深圳)有限公司<br>LXWCONN ELECTRONICS (SHENZHEN) CO., LTD |           |                 |
| GENERAL<br>TOLERANCE<br>.X   ±0.35<br>.XX   ±0.25<br>.XXX ±0.15<br>ANGLE±3° |                                                                                       | DESIGN Tan<br>2026.05.12                                                                                         | TITLE<br>0.5Pitch 67pin M.2 H3.2(KEY E) |                                                          |           |                 |
|                                                                             |                                                                                       | CHECKED Tan<br>2026.05.12                                                                                        | PART NO.<br>26004-S20674BXX12R          |                                                          |           |                 |
| SIZE<br>A4                                                                  |  | APPROVAL Tan<br>2026.05.12                                                                                       | SCALE<br>1:1                            | UNITS<br>MM                                              | REV.<br>A | SHEET<br>4 OF 4 |
| 6                                                                           |                                                                                       | 7                                                                                                                |                                         |                                                          | 8         |                 |