

AMPLIMITE | AMPLIMITE HD-20

TE Internal #: 205734-7

PCB D-Sub Connectors, Receptacle, Board-to-Board, 9 Position, 2.74 mm [.108 in] Centerline, 2 Row, 1 Connector Shell Size, Square,


AMPLIMITE HD-20


View on TE.com >



Connectors > D-Shaped Connectors > D-Sub Connectors > PCB D-Sub Connectors > D-Sub Receptacle Assembly: Vertical, Shell Size 1, 2.74mm











Connector & Housing Type: Receptacle

Connector System: Board-to-Board

Number of Positions: 9

Centerline (Pitch): 2.74 mm [.108 in]

Number of Rows: 2

All D-Sub Receptacle Assembly: Vertical, Shell Size 1, 2.74mm (59)

Features

Product Type Features

Shield Plating Material

Full Metal Shell
Receptacle
Board-to-Board
1
Printed Circuit Board
9
2
Vertical
Polyamide, GV

Tin



Shield Material	Steel
Shell Plating Material	Zinc
Primary Product Color	Black
Connector Profile	Standard
Contact Features	
	30 μin
Contact Mating Area Plating Material	Gold, Gold Flash over Palladium Nickel
Contact Underplating Material	Nickel, Palladium Nickel
PCB Contact Termination Area Plating Material	Tin-Lead
Contact Base Material	Phosphor Bronze
Contact Shape & Form	Square
Contact Current Rating (Max)	6 A
Termination Features	
Square Termination Post & Tail Dimension	.63 mm[.025 in]
Termination Post & Tail Length	4.78 mm[.188 in]
Termination Method to Printed Circuit Board	Through Hole - Solder
Mechanical Attachment	
Mounting Hole Diameter	3.05 mm[.12 in]
PCB Mount Retention	Without
Mating Retention	NA G. I
	Without
Connector Mounting Type	Without Board Mount
Connector Mounting Type	
Connector Mounting Type Housing Features	Board Mount
Connector Mounting Type Housing Features Shell Material	Board Mount Carbon Steel
Connector Mounting Type Housing Features Shell Material Housing Material	Board Mount Carbon Steel Polyester GF
Connector Mounting Type Housing Features Shell Material Housing Material Centerline (Pitch)	Board Mount Carbon Steel Polyester GF
Connector Mounting Type Housing Features Shell Material Housing Material Centerline (Pitch) Dimensions	Board Mount Carbon Steel Polyester GF 2.74 mm[.108 in]
Connector Mounting Type Housing Features Shell Material Housing Material Centerline (Pitch) Dimensions PCB Thickness (Recommended)	Board Mount Carbon Steel Polyester GF 2.74 mm[.108 in] 2.36 mm, 3.18 mm[.093 in][.125 in]
Connector Mounting Type Housing Features Shell Material Housing Material Centerline (Pitch) Dimensions PCB Thickness (Recommended) Row-to-Row Spacing	Board Mount Carbon Steel Polyester GF 2.74 mm[.108 in] 2.36 mm, 3.18 mm[.093 in][.125 in]
Connector Mounting Type Housing Features Shell Material Housing Material Centerline (Pitch) Dimensions PCB Thickness (Recommended) Row-to-Row Spacing Usage Conditions	Board Mount Carbon Steel Polyester GF 2.74 mm[.108 in] 2.36 mm, 3.18 mm[.093 in][.125 in] 2.84 mm[.112 in]



Circuit Application	Signal
Industry Standards	
Approved Standards	UL E28476
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	17
Packaging Method	Tube

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Pb (13% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





TE Part # CAT-AM7-248H3
IDC D-Sub: Plug Assembly, Wire to
Wire, Signal, 2.77 mm



IDC D-Sub: Plug Assembly, Low

Profile, Signal, 2.77 mm

TE Part # CAT-AM7-248H4
IDC D-Sub: Connector Kit, Plug, Wire to Wire, Signal, 2.77 mm



Also in the Series | AMPLIMITE HD-20



Customers Also Bought

















Documents

Product Drawings
09 RCPT SP/MS STD

English

CAD Files

3D PDF

3D



Customer View Model

ENG_CVM_CVM_205734-7_AB.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_205734-7_AB.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_205734-7_AB.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English

Product Environmental Compliance

TE Material Declaration

English

Agency Approvals

UL Report

English