



Terminals & Splices > PCB Terminals



PCB Terminal Type: **Receptacle**
PCB Hole Diameter: **4.5 mm [.125 in]**
Mating Pin Diameter: **1.47 mm [.058 in]**
Compatible Insulation Diameter (Max): **1.65 mm [.065 in]**
Compatible Insulation Diameter Range: **.89 – 1.65 mm [.035 – .065 in]**

Features

Product Type Features

Terminal Features	Stud Hole
-------------------	-----------

Contact Features

PCB Terminal Type	Receptacle
Mating Pin Diameter	1.47 mm[.058 in]
Terminal Plating Material	Pre-Tin
Terminal Orientation	Straight

Termination Features

Termination Method to Printed Circuit Board	Through Hole - Solder
Product Terminates To	Wire & Cable

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

Terminal Material Thickness	.25 mm[.01 in]
-----------------------------	----------------



PCB Hole Diameter	4.5 mm[.125 in]
Compatible Insulation Diameter (Max)	1.65 mm[.065 in]
Compatible Insulation Diameter Range	.89 – 1.65 mm[.035 – .065 in]
Wire Size	.12 – .4 mm²

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]

Packaging Features

Packaging Quantity	15000
Packaging Method	Reel

Other

Terminals & Splices Comment	Machine applied applicator required.
-----------------------------	--------------------------------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts

TE Part # 60940-1
.058 PIN REC 24-20 010TPPHBZ

TE Part # 350393-1
058 PCB REC IP 010TPPHBZ

TE Part # 350189-1
.058 DIA RECPT PC R/A LP 26-22

TE Part # 61513-2
058 PC PIN REC 010TPPHBZ

TE Part # 2-2837608-1
OCEAN-2.0-APPLICATOR-S-055F0700

TE Part # 2-2837608-2
OCEAN-2.0-APPLICATOR-S-055F0700

TE Part # 2837608-1
OCEAN-2.0-APPLICATOR-S-055F0700

TE Part # 2837608-2
OCEAN-2.0-APPLICATOR-S-055F0700

TE Part # 350015-1
093 PIN REC 22-18 0125PTPHBZ

TE Part # 60804-1
.058 DIA RECPT AU/Ni/PHBZ

TE Part # 7-2837608-1
OCEAN-2.0-APPLICATOR-S-055F0700

TE Part # 7-2837608-2
OCEAN-2.0-APPLICATOR-S-055F0700

TE Part # 7-2837608-7
OCEAN_2.0_SPARE_PART_KIT-055F0700

Customers Also Bought

TE Part #3-643815-4
04P MTA100 CONN ASSY POL RIB

TE Part #5745173-4
CABLE CLAMP KIT,SZ 3

TE Part #5745173-3
CABLE CLAMP KIT,SZ 3

TE Part #38941-20L
CONT PIN





TE Part #640383-3
03P MTA156 HDR ASSY STR SQ SN



TE Part #320551
PIDG R 22-16 COMM 22-18 MIL 8



TE Part #YDTS26W13-35PNV001
PLUG ASSY



TE Part #NB16622001
RW-175-3/64-X-STK



TE Part #878462-000
S1125-KIT-1



TE Part #321598
TERMINAL,SOLIS R 6 1/4

Documents

Product Drawings

058 PIN REC 26-22 .010PTPPHBZ

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_60888-1_AJ_c-60888-1-aj.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_60888-1_AJ_c-60888-1-aj.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_60888-1_AJ_c-60888-1-aj.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

PRINTED CIRCUIT BOARD TERMINALS AND DISCONNECTS

English

Product Specifications

Application Specification

English

Product Environmental Compliance

Product Compliance



English

Product Compliance

English