PIDG

TE Internal #: 8-32446-1

Knife Disconnects, Tin, Wire Insulation Support, 22 – 16 AWG Wire

Size, .26 – 1.65 mm² Wire Size, .51 – 3.26 kcmil Wire Size, Loose

Piece, PIDG

View on TE.com >



Terminals & Splices > Knife Disconnects > PIDG Knife Disconnect Splices











Body Plating Material: Tin

Wire Insulation Support: With

Compatible Insulation Diameter (Max): 3.56 mm [.14 in]

Wire Size: .26 – 1.65 mm²

All PIDG Knife Disconnect Splices (9)

Features

Body Features

body i catalies	
Insulation Material	Nylon
Body Plating Material	Tin
Mechanical Attachment	
Wire Insulation Support	With
Dimensions	
Compatible Insulation Diameter Range	2.67 – 3.56 mm[.105 – .14 in]
Compatible Insulation Diameter (Max)	3.56 mm[.14 in]
Wire Size	.51 – 3.26 kcmil
Usage Conditions	
Operating Temperature (Max)	105 °C[221 °F]

Partially Insulated

105 °C[221 °F]

Packaging Features

Insulation Option

Operating Temperature Range



Packaging Quantity	100
Packaging Method	Loose Piece
Other	
Barrel Color	Red

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts













Also in the Series | PIDG









Crimp Terminal Housings(1)

Crimp Wire Pins, Tabs & Ferrules(41)

Hand Crimping Tools(2)










Knife Disconnects(11)


PCB Terminals(7)

Quick Disconnects(49)

Ring Terminals(611)











Customers Also Bought



TE Part #1616358-6 51702121=WASHER FLAT







TE Part #1617061-1
A100739 = 0300-R RELAY

TE Part #2-1616398-3
8144020=COVER ASSY

TE Part #2-1616918-7
43622030=TERMINAL SHIELD ASSEM

TE Part #2-1616920-5
47034010=MOVABLE BUS BAR ASSY

TE Part #6-1616346-2
51206221=SCREW 6-32 1/4 BD HD

TE Part #7-1616918-5
46040010=STAT BUS BAR ASSEMBLY

Documents

Product Drawings

KN DISC,PIDG22-16COMM,22-18MIL

English

CAD Files

Customer View Model

ENG_CVM_8-32446-1_Y.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_8-32446-1_Y.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_8-32446-1_Y.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English