TS-221-GE11 ✓ ACTIVE

KISSLING | KISSLING Series TS

TE Internal #: K1154249

Push Button Switches, Three Pole - Double Throw Configuration (Pole-Throw), Switch, Flush Actuator Profile, Threaded, Momentary,

KISSLING Series TS

View on TE.com >



Relays, Contactors & Switches > Push Button Switches > Push Button Switch, Center Thread, 1 Actuator, Flush Profile



Configuration (Pole-Throw): Three Pole - Double Throw

Push Button Switch Product Type: Switch

Actuator Profile: Flush
Bushing Style: Threaded

Illuminated: No

All Push Button Switch, Center Thread, 1 Actuator, Flush Profile (44)

Features

Product Type Features

| Switch Connection Type | DIN Connector |
|---------------------------------|---------------|
| Push Button Switch Product Type | Switch |
| Illuminated | No |
| Actuator Style | Round |

Configuration Features

| Configuration (Pole-Throw) | Three Pole - Double Throw |
|----------------------------|---------------------------|
| Snap Action | Without |
| Support Bracket | Without |
| Tactile | No |
| Operating Function | Momentary |

Electrical Characteristics

Body Features

| Actuator Profile | Flush |
|------------------|----------|
| Bushing Style | Threaded |
| Actuator Color | Yellow |



Contact Features

| Push Button Switch Contact Current Rating | 5 A |
|---|--------------------|
| Switch Contact Plating Material | Silver Clad Copper |
| Mechanical Attachment | |
| Push Button Switch Mounting Type | Through Hole |
| Housing Features | |
| Process Sealed | No |
| Operation/Application | |
| | |

2.5 mm[.098 in]

Product Compliance

Actuator Total Travel

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant with Exemptions |
|---|---|
| EU ELV Directive 2000/53/EC | Compliant with Exemptions |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2021 (211) SVHC > Threshold: Pb (3% in Component part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location. |
| Halogen Content | Not Yet Reviewed for halogen content |
| Solder Process Capability | Not reviewed for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts








Also in the Series | KISSLING Series TS



Customers Also Bought























Documents

Product Drawings

Push button switch TS-221-GE11

German

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_TS-221-GE11_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_TS-221-GE11_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_TS-221-GE11_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

KISSLING PUSH BUTTON SWITCH Series TS

English