### AMP 0.64 Connector System

TE Internal #: 1326136-1

Automotive Connector Caps & Covers, Shield Assembly, Cable Exit Angle 70°, Black, Nylon GF, 26 Position, AMP 0.64 Connector

System

View on TE.com >



Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Caps & Covers











Protection & Strain Relief Accessory Type: Shield Assembly

Cable Exit Angle: 70°
Strain Relief: With

Primary Product Color: Black

Primary Product Material: Nylon GF

**Features** 

## **Product Type Features**

Protection & Strain Relief Accessory Type	Shield Assembly
Configuration Features	
Compatible With Connector Code	A-E
Number of Positions	26
Body Features	
Cable Exit Angle	70°
Primary Product Color	Black
Primary Product Material	Nylon GF
Mechanical Attachment	
Strain Relief	With
Packaging Features	
Packaging Quantity	1
Packaging Method	Package



#### Other

Serviceable	No
-------------	----

## **Product Compliance**


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



Also in the Series | AMP 0.64 Connector System





Automotive Connector Caps & Covers (20)



Automotive Housings(35)



Automotive Terminals(15)



Insertion & Extraction Tools(1)



Other Automotive Connector Accessories(2)



PCB Headers & Receptacles(43)

# Customers Also Bought



### **Documents**

**Product Drawings** 

26WAY LAC "SINGLE GEAR" ASMBLY

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1326136-1\_B.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1326136-1\_B.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1326136-1\_B.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Automotive Connector Caps & Covers, Shield Assembly, Cable Exit Angle 70°, Black, Nylon GF, 26 Position, AMP 0.64 Connector System



**Instruction Sheets** 

Instruction Sheet (U.S.)

English