

207235-1

✓ ACTIVE


AMP | AMP M Series

TE Internal #: 207235-1

Rectangular Connector Hardware, Jackscrew Kit, Turnable, Female
 Jackscrew, 42 / 50 / 12 Position, -55 – 150 °C [-67 – 302 °F], AMP M
 Series

[View on TE.com >](#)

Connectors > Rectangular Connectors > Rectangular Connector Accessories > Rectangular Connector Hardware



Connector Hardware Type: **Jackscrew Kit**

Jackscrew Type: **Turnable**

Jackscrew Style: **Female**

Number of Positions: **12, 28, 42, 50, 75, 104**

Operating Temperature Range: **-55 – 150 °C [-67 – 302 °F]**

Features

Configuration Features

Number of Positions	12, 28, 42, 50, 75, 104
---------------------	-------------------------

Body Features

Thread Lead Type	Single
Primary Product Material	Stainless Steel, Zinc Alloy

Mechanical Attachment

Primary Product Plating Finish	Hexavalent Chromate
Strain Relief	Without
Mounting Hardware	Jackscrew Tip Female and Spirol Pin
Thread Size	6-32 [M3.5 x .6]
Connector Hardware Type	Jackscrew Kit
Jackscrew Type	Turnable
Jackscrew Style	Female

Dimensions

Product Width	7.92 mm [.312 in]
---------------	-------------------

Product Length	81.44 mm[3.206 in]
----------------	--------------------

Product Height	7.92 mm[.312 in]
----------------	------------------

Usage Conditions

Operating Temperature Range	-55 – 150 °C[-67 – 302 °F]
-----------------------------	----------------------------

Packaging Features

Packaging Quantity	1
--------------------	---

Packaging Method	Bag
------------------	-----

Other

Connector Accessory Comment	Two required., Use turnable jackscrews on mating housings when mating to grounding block.
-----------------------------	---

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
------------------------------	---------------

EU ELV Directive 2000/53/EC	Not Compliant
-----------------------------	---------------

China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
---	--------------------------------------

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235)
--	---

	Candidate List Declared Against: JUNE 2023 (235)
--	--

	Does not contain REACH SVHC
--	-----------------------------

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	---

Solder Process Capability	Not applicable for solder process capability
---------------------------	--


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 207234-1
UNASSM JS KIT,M SERIESTE Part # 7-170995-1
JACK SCREW FEMALETE Part # 7-170995-2
JACK SCREW FEMALE ASSYTE Part # 7-170995-3
M SERIES JACK SCREW ASSY

Also in the Series | AMP M Series



Board-to-Board Jumpers & Shunts(7)




Rack & Panel Connectors(1)



Rectangular Connector Hardware(51)




Rectangular Power Connectors(66)



Standard Edge Connectors(2)

Customers Also Bought

TE Part #5499374-4
A/L UNIV HDR 20P VERT SHT LATTE Part #917485-5
DYNAMIC D-3 TAB CONT. 2L PRE-TINTE Part #1-281695-2
HEADER HE14 STRAIGHT 12 PTE Part #5786555-5
50 50SR VRT RCPT,FL TOP,ACT PN

TE Part #1-102387-1
60 MODIV HSG COMP DR .100 POLTE Part #201358-1
MALE BLOCK 50 PL. SER. "M"TE Part #201047-2
SERIES "M" ST. STL. GUIDE SOC.TE Part #9216033001
100G0111-1.00-9TE Part #2170668-1
ANGLED ENTRY JACK, SHIELDED
RJ45

Documents

Product Drawings

UNASSM JS KIT,M SERIES

English

CAD Files

Customer View Model

[ENG_CVM_CVM_207235-1_D.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_207235-1_D.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_207235-1_D.3d_igs.zip](#)

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

M_SERIES_PIN_AND_SOCKET_CONNECTORS

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English

207235-1

Rectangular Connector Hardware, Jackscrew Kit, Turnable, Female Jackscrew, 42 / 50
/ 12 Position, -55 – 150 °C [-67 – 302 °F], AMP M Series

