




QSFP/QSFP+

TE Internal #: 1-1761987-8  
QSFP, QSFP+ & zQSPF+, Connector, Cable-to-Board, 38 Position, .032 in [.8 mm] Centerline, Printed Circuit Board, Signal, Board Mount, QSFP/QSFP+

[View on TE.com >](#)

Connectors > Pluggable IO Connectors & Cages > QSFP, QSFP+ & zQSPF+



Pluggable I/O Product Type: **Connector**  
Connector System: **Cable-to-Board**  
Number of Positions: **38**  
Centerline (Pitch): **.8 mm [ .032 in ]**  
Sealable: **No**

Features

Product Type Features

Form Factor	QSFP+
Pluggable I/O Product Type	Connector
Connector System	Cable-to-Board
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

Number of Positions	38
---------------------	----

Contact Features

Contact Mating Area Plating Material Thickness	.38 μm[15 μin]
Contact Mating Area Plating Material	Gold
PCB Contact Termination Area Plating Material	Tin
Contact Current Rating (Max)	.5 A

Termination Features

Termination Method to Printed Circuit Board	Surface Mount
---	---------------

Mechanical Attachment

Connector Mounting Type	Board Mount
-------------------------	-------------

Housing Features



Centerline (Pitch)	.8 mm[.032 in]
--------------------	----------------

Dimensions

PCB Thickness (Recommended)	1.45 mm[.057 in]
-----------------------------	------------------

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

Operation/Application

For Use With Pluggable I/O Products	QSFP+ Cage
Circuit Application	Signal

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Reel, Tape
------------------	------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides




on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts




TE Part # CAT-C11-H501114  
QSFP to QSFP I/O Cable Assembly: 30 AWG




TE Part # CAT-C11-H50111  
QSFP-Four SFP+ I/O Cable Assembly 30 AWG




TE Part # 1888810-2  
EMI/Dust Cover,XFP And QSFP




TE Part # 2110819-1  
QSFP+ Enh EVERCLEAR PT Conn




TE Part # CAT-C11-H5011  
QSFP-Four SFP+ I/O Cable Assembly 28 AWG




TE Part # CAT-C11-H5011142  
QSFP to QSFP I/O Cable Assembly: 33 AWG




TE Part # 2053638-4  
C/A, QSFP, 4M, P1-P2, UNEQUALIZED



TE Part # 2202165-4  
QSFP TO QSFP, 26AWG, FDR, 4.0 METER




TE Part # 2202165-5  
QSFP TO QSFP, 26AWG, FDR, 5.0 METER




TE Part # 2821033-8  
QSFP TO [4]SFP+, 28G, 1M, 33AWG


Also in the Series | QSFP/QSFP+



Heat Sinks(1)




Pluggable I/O Cable Assemblies(23)




QSFP, QSFP+ & zQSPF+(166)

Customers Also Bought







TE Part #2102061-1  
Mezalok, Socket, 114 p, 10 mm, 50 Au, TL




TE Part #1558676-3  
T9GS1L24-12




TE Part #6-104074-0  
08 SYSTEM 50 HDR SRRA SHRD SN




TE Part #103735-3  
04 MTE HDR SRST LATCH .100CL




TE Part #2-2213767-1  
AV19 SPL 5A MOVE RING LED WHITE 12V




TE Part #2-2176330-1  
CRGP 2010 470R 1%



TE Part #5-1879355-0  
RR03 5% 470K AMMO



TE Part #1-104071-0  
08 SYSTEM 50 HDR SRST SHRD



TE Part #YDTS33W23RV0010000  
DUST COVER ASSEM

Documents

- CAD Files

Customer View Model

ENG\_CVM\_CVM\_1-1761987-8\_A.2d\_dxf.zip

English

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_1-1761987-8\_A.3d\_stp.zip

English

Customer View Model

ENG\_CVM\_CVM\_1-1761987-8\_A.3d\_igs.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

- Product Specifications
- Application Specification
- English

Product Environmental Compliance



[MD\\_1-1761987-8\\_06232017623\\_dmtec](#)

English

[MD\\_1-1761987-8\\_06232017623\\_dmtec](#)

English

---

[Agency Approvals](#)

[UL Report](#)

English