

## CGS | CGS 3560

TE Internal #: 9-2176406-3


Power Resistor, Thick Metal Film, 6 W, 6.8K ohm, 1 %,  $\pm 100$  ppm/° C, Solder, 2 Termination, Height 1.1 mm [.043 in], Length 11.6 mm [.

457 in], CGS 3560

View on TE.com >



Passive Components > Resistors > Surface Mount Resistors



Resistor Type: **Power Resistor**Element Type: **Thick Metal Film** 

Power Rating: 6W

Resistance Value:  $6.8K \Omega$ Resistance Class:  $1k\Omega - 1M\Omega$ 

### **Features**

### **Product Type Features**

Treader Type readares	
Resistor Type	Power Resistor
Element Type	Thick Metal Film
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Operating Voltage	300 V
Power Rating	6 W
Resistance Value	6.8K Ω
Resistance Class	$1k\Omega - 1M\Omega$
Passive Component Tolerance	1 %
Termination Features	
Surface Mount Resistor Termination Type	Solder

2

Number of Terminations



#### **Dimensions**

Product Height	1.1 mm[.043 in]
Product Length	11.6 mm[.457 in]
Product Width	6.85 mm[.27 in]

### **Usage Conditions**

Temperature Coefficient	±100 ppm/°C
Temperature coemicient	±100 ββπη/ C

### **Packaging Features**

Packaging Method	Taped & Reeled

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C


### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts














## Also in the Series | CGS 3560



## Customers Also Bought























### **Documents**

## **Product Drawings**

3560 6K8 1%

English

#### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_9-2176406-3\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_9-2176406-3\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_9-2176406-3\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## Datasheets & Catalog Pages

SMD HIGH POWER RESISTORS - TYPE 3660 SERIES

English